

**Note:** You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question. Attempt as many questions as given in objective type question paper and leave others blank. No credit will be awarded in case BUBBLES are not filled. Do not solve questions on this sheet of OBJECTIVE PAPER.

Q.No.1

- (1) Distance of the point  $(3, -7)$  from  $x$ -axis is:- (A) 3 (B) -3 (C) 7 (D) -7
- (2) Inclination of a line perpendicular to  $y$ -axis is:- (A)  $0^\circ$  (B)  $60^\circ$  (C)  $30^\circ$  (D)  $90^\circ$
- (3) The slope of a line which is perpendicular to the line  $ax + by + c = 0$  is:-  
 (A)  $-\frac{a}{b}$  (B)  $\frac{b}{a}$  (C)  $-\frac{b}{a}$  (D)  $\frac{a}{b}$
- (4) The point of concurrency of altitudes of a triangle is called:-  
 (A) In - Centre (B) Orthocentre (C) Circumcentre (D) Centroid
- (5) The graph of  $2x \geq 3$  lies in:-  
 (A) Upper Half Plane (B) Lower Half Plane (C) Left Half Plane (D) Right Half Plane
- (6) Length of the diameter of the circle  $(x + 8)^2 + (y - 5)^2 = 80$  is:-  
 (A) 160 (B)  $4\sqrt{5}$  (C)  $8\sqrt{5}$  (D) 40
- (7) Directrix of Parabola  $x^2 = -16y$  is:-  
 (A)  $x + 4 = 0$  (B)  $x - 4 = 0$  (C)  $y - 4 = 0$  (D)  $y + 4 = 0$
- (8)  $x = a \cos \theta$ ,  $y = b \sin \theta$  represent:- (A) Circle (B) Parabola (C) Ellipse (D) Hyperbola
- (9) A unit vector perpendicular to the vectors  $\underline{a}$  and  $\underline{b}$  is:-  
 (A)  $\frac{\underline{a} \times \underline{b}}{|\underline{a}| |\underline{b}|}$  (B)  $\frac{\underline{a} \times \underline{b}}{|\underline{a} \times \underline{b}|}$  (C)  $\frac{|\underline{a}| |\underline{b}|}{|\underline{a} \times \underline{b}|}$  (D)  $\frac{|\underline{a} \times \underline{b}|}{|\underline{a}| |\underline{b}|}$
- (10)  $[\hat{k} \hat{i} \hat{j}] =$  (A) 1 (B) 2 (C) -1 (D) -2
- (11)  $\text{Log}_e \left( \frac{1}{x} + \frac{\sqrt{1-x^2}}{x} \right) = \text{-----}, 0 < x \leq 1$   
 (A)  $\text{Sech}^{-1}x$  (B)  $\text{Cosech}^{-1}x$  (C)  $\text{Tanh}^{-1}x$  (D)  $\text{Coth}^{-1}x$
- (12) The linear function  $f(x) = ax + b$  becomes identity function if:-  
 (A)  $a = 0, b = 1$  (B)  $a = 1, b = 0$  (C)  $a = 0, b = 0$  (D)  $a = 1, b = 1$
- (13) If  $y = e^{f(x)}$  then  $y' =$   
 (A)  $e^{f(x)} \cdot f(x)$  (B)  $e^{f(x)} \cdot f'(x)$  (C)  $e^{f(x)} \cdot \log f(x)$  (D)  $e^{f(x)} \cdot f'(x)$
- (14) For relative maxima at  $x = c$   
 (A)  $f(c) < f(x)$  (B)  $f(c) > f(x)$  (C)  $f(c) \geq f(x)$  (D)  $f(c) \leq f(x)$
- (15) If  $f''(a - \varepsilon) < 0$  and  $f''(a + \varepsilon) < 0$  then at  $x = a$   $f(x)$  has:-  
 (A) Relative Minima (B) Relative Maxima (C) Point of Inflexion (D) Critical Point
- (16)  $\frac{1}{2} \frac{d}{dx} [\tan^{-1}x - \cot^{-1}x] =$   
 (A)  $\frac{-1}{1+x^2}$  (B)  $\frac{1}{1+x^2}$  (C)  $\frac{1}{1-x^2}$  (D)  $\frac{-1}{1-x^2}$
- (17)  $\int \frac{\log_e \tan x}{\sin 2x} \cdot dx =$  (A)  $\frac{1}{2} (\log_e (\tan x))^2 + c$   
 (B)  $\frac{1}{4} (\log_e (\tan x))^2 + c$  (C)  $\frac{1}{2} \log_e (\sin 2x)^2 + c$  (D)  $\frac{1}{4} \log_e (\sin 2x)^2 + c$
- (18)  $\int e^{-x} (\cos x - \sin x) dx =$   
 (A)  $e^{-x} \sin x + c$  (B)  $-e^{-x} \sin x + c$  (C)  $e^{-x} \cos x + c$  (D)  $-e^{-x} \cos x + c$
- (19)  $3 \int_{\pi/2}^{\pi} \sin x \cdot dx =$  (A) 1 (B) 2 (C) 3 (D) 4
- (20) Solution of differential equation  $(e^x + e^{-x}) \frac{dy}{dx} = e^x - e^{-x}$  is  $y =$   
 (A)  $\log_a (e^x + e^{-x}) + c$  (B)  $\log_e (e^x + e^{-x}) + c$  (C)  $\log_a (e^x - e^{-x}) + c$  (D)  $\log_e (e^x - e^{-x}) + c$

NOTE: - Write same question number and its part number on answer book,  
as given in the question paper.

SECTION-I

2. Attempt any eight parts.

8 × 2 = 16

- (i) Define explicit function and give an example.
- (ii) Find  $\frac{f(a+h) - f(a)}{h}$  and simplify where  $f(x) = \cos x$
- (iii) Prove that  $\lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n = e$
- (iv) Find by definition, the derivative of  $2 - \sqrt{x}$  w.r.to 'x'.
- (v) Find  $\frac{dy}{dx}$  if  $y = \frac{(\sqrt{x} + 1)(x^{3/2} - 1)}{x^{1/2} - 1}$ ,  $x \neq 1$
- (vi) Differentiate  $\left(\sqrt{x} - \frac{1}{\sqrt{x}}\right)^2$  w.r.to 'x'.
- (vii) Find  $\frac{dy}{dx}$  if  $y^2 - xy + 4 - x^2 = 0$
- (viii) Differentiate  $\tan^3 \theta \sec \theta$  w.r.to ' $\theta$ '.
- (ix) Find  $\frac{dy}{dx}$  if  $x = y \sin y$
- (x) Differentiate  $(\ln x)^x$  w.r.to 'x'.
- (xi) Find  $f'(x)$  if  $f(x) = x^3 e^{1/x}$ ,  $x \neq 0$
- (xii) Find  $y_2$  if  $x^2 + y^2 = a^2$

3. Attempt any eight parts.

8 × 2 = 16

- (i) Find  $\delta y$  and  $dy$  if  $y = \sqrt{x}$  when  $x$  changes from 4 to 4.41.
- (ii) Evaluate  $\int \frac{\sin x + \cos^3 x}{\cos^2 x \sin x} dx$
- (iii) Evaluate  $\int \frac{1}{x \ln x} dx$
- (iv) Evaluate  $\int x \sin x dx$
- (v) Evaluate  $\int e^{-x} (\cos x - \sin x) dx$
- (vi) Evaluate  $\int \frac{5x + 8}{(x + 3)(2x - 1)} dx$
- (vii) State the fundamental theorem of calculus.
- (viii) Evaluate  $\int_1^2 \frac{x dx}{x^2 + 2}$
- (ix) Find the area bounded by the curve  $y = 4 - x^2$  and the  $x$ -axis.
- (x) Solve  $\sec^2 x \tan y dx + \sec^2 y \tan x dy = 0$
- (xi) Graph the inequality  $3x + 7y \geq 21$
- (xii) State the Linear Programming Theorem.



4. Attempt any nine parts.

9 × 2 = 18

- (i) Find "h" such that A(-1, h), B(3, 2) and C(7, 3) are collinear.
- (ii) Find an equation of the line passing through (-5, -3) and (9, -1).
- (iii) Find the area of the region bounded by the triangle with vertices A(1, 4), B(2, -3) and C(3, -10)
- (iv) Find value of "p" such that lines  $2x - 3y - 1 = 0$ ,  $3x - y - 5 = 0$  and  $3x + py + 8 = 0$  meet at a point.
- (v) Find the lines represented by  $6x^2 - 19xy + 15y^2 = 0$
- (vi) Find the focus and vertex of the parabola  $x^2 - 4x - 8y + 4 = 0$
- (vii) Find equation of parabola with focus (2, 5) and directrix  $y = 1$
- (viii) Find foci and vertices of the ellipse  $\frac{x^2}{9} + \frac{y^2}{4} = 1$
- (ix) Find an equation of the ellipse with foci  $(\pm 3\sqrt{3}, 0)$  and vertices  $(\pm 6, 0)$ .
- (x) Find the direction cosines of vector  $\underline{v} = \underline{i} - \underline{j} - \underline{k}$
- (xi) Find real number "α" so that the vectors  $\underline{u} = \alpha \underline{i} + 2\alpha \underline{j} - \underline{k}$  and  $\underline{v} = \underline{i} + \alpha \underline{j} + 3\underline{k}$  are perpendicular.
- (xii) Find the area of the triangle with vertices A(1, -1, 1), B(2, 1, -1) and C(-1, 1, 2).
- (xiii) Prove that the vectors  $\underline{i} - 2\underline{j} + 3\underline{k}$ ,  $-2\underline{i} + 3\underline{j} - 4\underline{k}$  and  $\underline{i} - 3\underline{j} + 5\underline{k}$  are coplaner.

### SECTION-II

NOTE: - Attempt any three questions.

3 × 10 = 30

5.(a) If  $\theta$  is measured in Radian, then prove that  $\lim_{\theta \rightarrow 0} \frac{\sin \theta}{\theta} = 1$

(b) Show that  $2^{x+h} = 2^x \left[ 1 + (\ln 2)h + \frac{(\ln 2)^2}{2} h^2 + \frac{(\ln 2)^3}{6} h^3 + \dots \right]$

6.(a) Evaluate the indefinite integral  $\int \frac{x^2 + 3x - 34}{x^2 + 2x - 15} dx$

(b) Find a joint equation of the lines through the origin and perpendicular to the lines  $ax^2 + 2hxy + by^2 = 0$

7. (a) Evaluate the integral  $\int_0^1 \frac{3x}{\sqrt{4-3x}} dx$

(b) Minimize  $z = 2x + y$  subject to the constraints  $x + y \geq 3$ ;  $7x + 5y \leq 35$ ;  $x \geq 0$ ;  $y \geq 0$

8. (a) Find equations of tangents to the circle  $x^2 + y^2 = 2$  which are perpendicular to the line  $3x + 2y = 6$

(b) Prove that for any triangle  $\Delta ABC$   $a^2 = b^2 + c^2 - 2bc \cos A$

9.(a) Discuss and sketch the graph of the equation  $25x^2 - 16y^2 = 400$

(b) Find volume of the tetrahedron with vertices (2, 1, 8), (3, 2, 9), (2, 1, 4) and (3, 3, 10).