

Roll No. of Candidate \_\_\_\_\_

**MATHEMATICS**

**Time: 30 Minutes**

**Intermediate Part-II, Class 12<sup>th</sup> (1<sup>st</sup> A 424- IV)**

**OBJECTIVE**

**Code: 8198**

**GROUP: II**

**PAPER: II**

**Marks: 20**

**Note:** You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that circle in front of that question number. Use marker or pen to fill the circles. Cutting or filling of two or more circles will result in zero mark in that question.

- 1- 1- Differential of  $\sqrt{x}$  is  
(A)  $\frac{1}{\sqrt{x}} dx$  (B)  $\frac{2}{\sqrt{x}} dx$  (C)  $\frac{1}{2\sqrt{x}} dx$  (D)  $\frac{-1}{\sqrt{x}} dx$
- 2- If  $a = b$  then equation  $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$  represent  
(A) Ellipse (B) Circle (C) Parabola (D) Hyperbola
- 3- Degree of differential equation  $\frac{d^2y}{dx^2} + \frac{dy}{dx} - 3x = 0$  is  
(A) 0 (B) 2 (C) 1 (D) 3
- 4-  $\frac{d}{dx}(\sin \ln x) = ?$   
(A)  $\frac{e^x - e^{-x}}{2}$  (B)  $\frac{e^x + e^{-x}}{2}$  (C)  $e^x - e^{-x}$  (D)  $e^x + e^{-x}$
- 5- Magnitude of a vector  $\underline{v} = -\underline{i} + \underline{j}$  is  
(A)  $a$  (B)  $\sqrt{2}$  (C)  $-\sqrt{2}$  (D)  $\sqrt{3}$
- 6- If dot product of two non-zero vectors is zero then vectors will be  
(A) perpendicular (B) parallel (C) collinear (D) all of these
- 7- Length of latus rectum of parabola  $y^2 = 4ax$  is  
(A)  $2a$  (B)  $4ax$  (C)  $4a$  (D)  $\frac{1}{2a}$
- 8- Every homogeneous equation  $ax^2 + 2hxy + by^2 = 0$  represent two real lines through origin if  
(A)  $h^2 - ab < 0$  (B)  $h^2 - ab > 0$  (C)  $h^2 = ab$  (D) both (B) and (C)
- 9- If  $\alpha$  is constant then  $\int \cot \alpha dy$  is  
(A)  $\sin \alpha + c$  (B)  $-\sin \alpha + c$  (C)  $x \sin \alpha + c$  (D)  $y \cot \alpha + c$
- 10- If  $f(x) = \cos x$ , then  $f'\left(\frac{\pi}{2}\right)$  is  
(A)  $-1$  (B)  $1$  (C)  $0$  (D)  $\frac{1}{2}$
- 11-  $\lim_{x \rightarrow a} \frac{x^3 - a^3}{x - a} = ?$   
(A)  $3a^2$  (B)  $a^2$  (C)  $0$  (D) un-defined
- 12- Derivative of  $\sqrt{x}$  at  $x = a$  is  
(A)  $\frac{1}{\sqrt{a}}$  (B)  $-\frac{1}{2\sqrt{a}}$  (C)  $\frac{1}{2\sqrt{a}}$  (D)  $2\sqrt{a}$

(Turn over)

(2)

- 13-  $\int \frac{\ln x}{x} dx$  is equal to  
(A)  $\ln(\ln x) + c$  (B)  $\frac{(\ln x)^2}{2} + c$  (C)  $\ln x + c$  (D)  $\frac{\ln x}{2} + c$
- 14- Slope intercept form of a line is  
(A)  $y = mx + c$  (B)  $\frac{x}{a} + \frac{y}{b} = 1$  (C)  $x = 0$  (D)  $y = 0$
- 15- The function  $f(x) = \frac{2+3x}{2x}$  is not continuous at  
(A)  $x = 3$  (B)  $x = 0$  (C)  $x = -\frac{2}{3}$  (D)  $x = 1$
- 16-  $\frac{1}{6}[u \ v \ w]$  is formula to calculate  
(A) area of triangle (B) volume of parallelepiped  
(C) volume of tetrahedron (D) area of parallelogram
- 17-  $(2, 1)$  is solution of in-equality  
(A)  $2x + y > 5$  (B)  $x - 2y > 1$  (C)  $3x - 5y < 7$  (D)  $2x + y < 5$
- 18- Eccentricity of hyperbola is  
(A)  $e < 1$  (B)  $e = 0$  (C)  $e = 1$  (D)  $e > 1$
- 19-  $\frac{d}{dx} \left[ \frac{1}{g(x)} \right]$  is equal to  
(A)  $\frac{1}{[g(x)]^2}$  (B)  $-\frac{g'(x)}{[g(x)]^2}$  (C)  $\frac{-1}{[g(x)]^2}$  (D)  $\frac{-g'(x)}{[g(x)]^2}$
- 20- Distance of point  $(\cos 3x, \sin 3x)$  from origin is  
(A) 9 (B) 6 (C) 3 (D) 1

314-(IV)-1<sup>st</sup>A 424-24000

Note: Section I is compulsory. Attempt any three (3) questions from Section II.

SECTION I

2. Write short answers to any EIGHT questions:

(2 × 8 = 16)

- i- Define rational function. Give one example also.
- ii- Find  $\text{gof}(x)$ , when  $f(x) = \sqrt{x+1}$  ;  $g(x) = \frac{1}{x^2}$  ,  $x \neq 0$
- iii- Evaluate  $\lim_{\theta \rightarrow 0} \frac{1 - \cos \theta}{\theta}$
- iv- Find 'c' so that  $\lim_{x \rightarrow -1} f(x)$  exists, when  $f(x) = \begin{cases} x+2 & , x \leq -1 \\ c+2 & , x > -1 \end{cases}$
- v- Differentiate  $(x^2+5)(x^3+7)$  w.r.t  $x$ .
- vi- Find derivative of  $\tan^3 \theta \sec^2 \theta$  w.r.t  $\theta$ .
- vii- Find  $\frac{dy}{dx}$ , if  $y = \sinh^{-1}\left(\frac{x}{2}\right)$
- viii- Define critical value and critical point of function  $f$ .
- ix- Differentiate  $\cot^{-1}\left(\frac{x}{a}\right)$  w.r.t  $x$ .
- x- Find derivative of  $\frac{x^2+1}{x^2-3}$  w.r.t  $x$ .
- xi- State product rule for derivative of two functions.
- xii- Differentiate  $\sin^2 x$  w.r.t  $\cos^4 x$ .

3. Write short answers to any EIGHT questions:

(2 × 8 = 16)

- i- Find  $\delta y$  if  $y = x^2 - 1$  and  $x$  changes from 3 to 3.02
- ii- Evaluate  $\int \frac{(1-\sqrt{x})^2}{\sqrt{x}} dx$
- iii- Evaluate  $\int \frac{dx}{x(\ln 2x)^3}$  ;  $(x > 0)$
- iv- Evaluate  $\int x \tan^2 x dx$
- v- Evaluate  $\int \frac{e^x(1+x)}{(2+x)^2} dx$
- vi- Evaluate  $\int_0^{\pi/6} x \cos x dx$
- vii- Solve the differential equation  $\sin y \operatorname{Cosec} x \frac{dy}{dx} = 1$
- viii- Find the distance and midpoint of line joining  $A(-8, 3)$  and  $B(2, -1)$ .
- ix- Find an equation of line with  $x$ -intercept: -9 and slope: -4
- x- Transform the equation  $5x - 12y + 39 = 0$  into slope intercept form.
- xi- Determine the value of  $P$  such that the lines  $2x - 3y - 1 = 0$  ,  $3x - y - 5 = 0$  and  $3x + Py + 8 = 0$  meet at a point.
- xii- Find the angle between the lines represented by  $x^2 - xy - 6y^2 = 0$

(Turn over)

(2)

(2 x 9 = 18)

## 4. Write short answers to any NINE questions:

- i- Define feasible region.
- ii- Graph the feasible region of inequality  $3x + 2y \geq 6$ ,  $x \geq 0$ ,  $y \geq 0$
- iii- Write an equation of circle with centre  $(5, -2)$  and radius 4.
- iv- Write down equation of tangent to  $x^2 + y^2 = 25$  at  $(4, 3)$
- v- Find the focus and vertex of parabola  $y^2 = 8x$
- vi- Write equation of the ellipse whose foci  $(\pm 3, 0)$  and minor axis of length 10.
- vii- Find the foci and eccentricity of  $\frac{x^2}{4} - \frac{y^2}{9} = 1$
- viii- Find the length of tangent drawn from point  $(-5, 4)$  to the circle  $x^2 + y^2 - 2x + 3y - 26 = 0$
- ix- Find a unit vector in the same direction of the vector  $\underline{v} = [3, -4]$
- x- Write the direction cosine of vector  $\underline{v} = -\hat{i} + \hat{j} + \hat{k}$
- xi- Find a scalar ' $\alpha$ ' so that vectors  $2\hat{i} + \alpha\hat{j} + 5\hat{k}$  and  $3\hat{i} + \hat{j} + \alpha\hat{k}$  are perpendicular.
- xii- If  $\underline{a} = 4\hat{i} + 3\hat{j} + \hat{k}$  and  $\underline{b} = 2\hat{i} - \hat{j} + 2\hat{k}$ , find  $|\underline{a} \times \underline{b}|$
- xiii- A force  $\underline{F} = 4\hat{i} - 3\hat{k}$  passes through  $A(2, -2, 5)$ . Find its moment about  $B(1, -3, 1)$ .

SECTION II

- 5- (a) Evaluate :  $\lim_{\theta \rightarrow 0} \frac{1 - \cos p\theta}{1 - \cos q\theta}$  5
- (b) Differentiate :  $\sec^{-1} \left( \frac{x^2 + 1}{x^2 - 1} \right)$  w.r.t "x" 5
- 6- (a) If  $y = e^x \sin x$ ; show that  $\frac{d^2 y}{dx^2} - 2 \frac{dy}{dx} + 2y = 0$  5
- (b) Evaluate :  $\int \operatorname{Cosec}^3 x \, dx$  5
- 7- (a) Evaluate :  $\int_0^{\pi/4} \frac{\sin x - 1}{\cos^2 x} dx$  5
- (b) Graph the feasible region of the following system of linear inequalities and find the corner points  $2x - 3y \leq 6$   
 $2x + 3y \leq 12$   
 $x \geq 0, y \geq 0$  5
- 8- (a) Find an equation of the circle passing through the points  $A(1, 2)$  and  $B(1, -2)$  and touching the line  $x + 2y + 5 = 0$  5
- (b) Use vectors, to prove that the diagonals of a parallelogram bisect each other. 5
- 9- (a) Find the equation of perpendicular bisector of a segment joining the points  $A(3, 5)$  and  $B(9, 8)$ . 5
- (b) Find the equation of parabola with focus  $(-3, 1)$  and directrix  $x = 3$ . 5