MATHEMATICS Time: 30 Minutes

Intermediate Part II Class 12th (1st A 423-III) **OBJECTIVE**

GROUP: I PAPER: II Marks: 20

Note:

You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that circle in front of that question number. Use marker or pen to fill the circles. Cutting or filling of two or more circles will result in zero mark in that question.

Code: 8195

Equation of horizontal line through (3, 1) 1- 1-

- (B) x = 1
- (C) y = 3

 $\int \frac{1}{x} dx = \underline{\hspace{1cm}}$ 2-

- (A) lnx+c
- (B) $-\frac{1}{x^2} + c$ (C) $-\frac{1}{x} + c$

3-It is not unit vector

- (A) [1,0,0]
- (B) [0,1,0]
- (C) [1,1,1]
- (D) [0,0,1]

Eccentricity e of hyperbola is

- (A) e < 1
- (B) e > 1
- (C) e = 1

Focus of parabola $x^2 = -16y$ is _____ 5-

- (A) (4,0)
- (B) (-4,0)
- (C) (0,4)

 $\frac{\mathrm{d}}{\mathrm{d}x}\sqrt{x} =$

 $\frac{d}{dx} \left(\frac{1}{x^2} \right)$ at x=1 is ____

- (B) -2

(D) -1

 $f(x) = 2x^2 + 4x - 2$, then f(-2) =

(D) -2

- (A) π

- (D)

10-Distance of point (-2. 3) from x-axis is

(A) 2

- (B) -2
- (C) 3

(D) -3

Radius of circle $x^2 + y^2 - 4x + 6y + 9 = 0$ is 11-

- (B) 3
- (C) 4

(D) 9

If f(x) has maximum value at x = c, then $f'(c) \neq 0$ but f''(x) is 12-

- (A) negative
- (B) positive
- (C) zero
- (D) undefined

(Turn over)

13- Which one is constant function

- (A) f(x) = x
- (B) $f(x) = x^2$
- (C) f(x) = 5
- (D) $f(x) = \sin x$.

Vectors $\vec{a} = 3\underline{i} - 2\underline{j} + \underline{k}$ and $\underline{b} = \underline{i} - \underline{j} - x\underline{k}$ are perpendicular, then value of x is ____

- (A), -5
- (B) 5
- (C) 1

(D) -1

15- Length of major axis of $\frac{x^2}{25} + \frac{y^2}{16} = 1$ is

- (A) 10
- (B) 5
- (C) 8

(D) 4

16- x = 2 is solution of the inequality

- (A) $2x-1 \le 0$
- (B) $2x-1 \ge 0$
- (C) $x-1 \le 0$
- (D) $x+1 \le 0$

The lines represented by $ax^2 + 2hxy + by^2 = 0$ are orthogonal if

- (A) a+b=1
- (B) a b = 0
- (C) a+b=0
- (D) a-b=1

18- Solution of $\frac{dy}{dx} = 2x$ is _____

- (A) $y = x^2 + c$.
- (B) y = x + c
- (C) $y = \ln x + c$
- (D) $y = e^{x} + e^{x}$

19- $\int 2 \operatorname{Sec}^2 2 x \, dx =$ _____

- (A) $\frac{\tan 2x}{2} + c$
- (B) $\tan 2x + c$
- (C) $\sec 2x + c$
- (D) $\frac{\sec 2x}{2} + c$

 $20- \frac{d}{dx} \sin h 2x = \underline{\hspace{1cm}}$

- (A) 2Cosh2x
- (B) 2Sinh2x
- (C) 2 Cosh2x
- (D) -2Sinh2x

312-(III)-1st A 423-23000

GROUP: I

SUBJECTIVE Cauj-12-1-23

PAPER: II Marks: 80

Note: Section I is compulsory. Attempt any three (3) questions from Section II.

SECTION I

Write short answers to any EIGHT questions:

 $(2 \times 8 = 16)$

i- Show that the parametric equations $x = a\cos\theta$, $y = b\sin\theta$ represent the equation of ellipse

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

- ii- Let the real valued functions 'f' and 'g' be defined by f(x) = 2x+1 and $g(x) = x^2-1$, obtain the expressions fog(x) and $f^{2}(x)$
- iii- Evaluate the limit $\lim_{x\to 0} \frac{1-\cos 2x}{x^2}$
- iv- Differentiate w.r.t.x $\frac{2x-1}{\sqrt{x^2+1}}$
- v- Find $\frac{dy}{dy}$ if $x = at^2$ and y = 2 at
- vi- Find $\frac{dy}{dx}$ if $4x^2 + 2hxy + by^2 + 2gx + 2fy + c = 0$
- vii- If tany(1 + tanx) = 1 tanx, show that $\frac{dy}{dx} = -1$
- Find y_2 if $y = \ln\left(\frac{2x+3}{3x+2}\right)$
- ix- Determine the intervals in which f is increasing or decreasing for the domain mentioned. $f(x) = \sin x \; ; \; x \in (-\pi, \pi)$
- Find two positive integers whose sum is 30 and their product will be maximum.
- xi- Define feasible region and feasible solution.
- xii- Graph the feasible region of the following system of linear inequalities and find the corner points $x + y \le 5$

$$-2x+y \ge 2$$
$$x \ge 0$$

Write short answers to any EIGHT questions:

 $(2 \times 8 = 16)$

- i- Find δy if $y = x^2 1$ and x changes from 3 to 3.02
- ii- Evaluate $\int \frac{(1-\sqrt{x})^2}{\sqrt{x}} dx$
- iii- Find the anti-derivative of x2lnx
- Evaluate
- vi- Find the area between x-axis and the curve $y = \sin 2x$ from x = 0 to $x = \frac{\pi}{3}$
- vii- Solve the differential equation $\frac{dy}{dx} = \frac{1+y^2}{e^{-x}}$
- viii- If $\underline{\mathbf{v}} = 3\underline{\mathbf{i}} 2\underline{\mathbf{j}} + 2\underline{\mathbf{k}}$ and $\underline{\mathbf{w}} = 5\underline{\mathbf{i}} \underline{\mathbf{j}} + 3\underline{\mathbf{k}}$ then find $|3\underline{\mathbf{v}} + \underline{\mathbf{w}}|$

(Turn over)

- Find direction cosines of vector \overrightarrow{PQ} where P(2,1,5) and Q(1,3,1)
- Find a vector perpendicular to each of the vectors $\underline{\mathbf{u}} = 2\underline{\mathbf{i}} + \underline{\mathbf{j}} + \underline{\mathbf{k}}$ and $\underline{\mathbf{v}} = 4\underline{\mathbf{i}} + 2\underline{\mathbf{j}} \underline{\mathbf{k}}$
- Prove that $\underline{\mathbf{a}} \times (\underline{\mathbf{b}} + \underline{\mathbf{c}}) + \underline{\mathbf{b}} \times (\underline{\mathbf{c}} + \underline{\mathbf{a}}) + \underline{\mathbf{c}} \times (\underline{\mathbf{a}} + \underline{\mathbf{b}}) = 0$
- Calculate the projection of $\underline{a} = \underline{i} \underline{k}$ along $\underline{b} = \underline{j} + \underline{k}$

Write short answers to any NINE questions: 4.

 $(2 \times 9 = 18)$

5

- i- Find the point three-fifth of the way along the line segment from A(-5,8) to B(5,3)
- By means of slopes show that the points (-4,6),(3,8) and (10,10) lie on the same line.
- Find an equation of line with x-Intercept = -9 and slope is -4
- Find measure of angle between the lines represented by $10 x^2 23 xy 5 y^2 = 0$
- Find h such that the points A(-1,h), B(3,2) and C(7,3) are collinear.
- Find an equation of the line through (11,-5) and parallel to a line with slope -24.
- Find the co-ordinates of the point that divides the join of A(-6,3) and B(5,-2) externally in ratio 2:3 vii-
- Find centre and radius of the circle $4x^2 + 4y^2 8x + 12y 25 = 0$ viii-
- Write down an equation of the parabola with focus (2,5) and directrix y = 1
- Find an equation of circle of radius a and lying in 2nd Quadrant such that it is tangent to both the axes.
- Find focus, vertex of the parabola $x^2 = 4(y-1)$
- Find an equation of the hyperbola with given foci $(0,\pm 6)$, e=2X1xii-
- Find centre and foci of the hyperbola $\frac{y^2}{4} x^2 = 1$

SECTION II

Note: Attempt any three (3) questions.

- (a) Express the limit in terms of e $\lim_{x\to 0} \frac{e^{x}-1}{e^{x}+1}$
 - 5 **(b)** Find $\frac{dy}{dx}$ of the parametric equations $x = \frac{a(1-t^2)}{1+t^2}$, $y = \frac{2bt}{1+t^2}$
- 5 (a) Show that $\int \sqrt{a^2 + x^2} dx = \frac{a^2}{2} \sin^{-1} \left(\frac{x}{a} \right) + \frac{x}{2} \sqrt{a^2 - x^2} + c$
 - 5 Find an equation of the line through the point (2,-9) and intersection of the lines 2x+5y-8=0 and 3x-4y-6=0
- 5 Evaluate $\int \cos^4 t \, dt$ 5
 - Maximize f(x,y) = 2x + 5y subject to the constraints $2y x \le 8$; $x y \le 4$; $x \ge 0$; $y \ge 0$ 5
- If $y = (\cos^{-1} x)^2$, prove that $(1 x^2)y_2 xy_1 2 = 0$ 5
 - (b) Write down an equation of the circle that passes through the given points A(-7,7), B(5,-1), C(10,0)
- Find centre, foci, eccentricity, vertices and directrices of $x^2 + 16x + 4y^2 16y + 76 = 0$ 5 5
 - $\triangle ABC$; a = bCosC+cCosB Prove that in any