

MATHEMATICS , GROUP FIRST

TIME: 30 MINUTES , MARKS: 20

OBJECTIVE

NOTE: You have four choices for each objective type question as A , B , C and D . The choice which you think is correct , fill that circle in front of that question number. Use marker or pen to fill the circles. Cutting or filling two or more circles will result in zero mark in that question.

QUESTION NO. 1

- (1) The number π is
(A) a whole number (B) a natural number (C) a rational number (D) an irrational number
- (2) The number of ways in which a set can be described are
(A) 1 (B) 2 (C) 3 (D) 4
- (3) If A and B are matrices , then $(AB)^t =$
(A) $B^t A^t$ (B) $A^t B^t$ (C) AB (D) BA
- (4) Rank of the matrix $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ is
(A) 1 (B) 2 (C) 3 (D) 4
- (5) The roots of the equation $ax^2+bx+c=0$ will be imaginary if
(A) $b^2-4ac=0$ (B) $b^2-4ac>0$ (C) $b^2-4ac<0$ (D) $b^2-4ac=1$
- (6) If $b^2-4ac>0$ and perfect square then roots are
(A) Rational (B) Irrational (C) Equal (D) Complex
- (7) The fractions $\frac{x-3}{x+1}$ is
(A) Improper (B) Proper (C) Identity (D) Equivalent
- (8) A geometric mean (G.M) between "a" and "b" is
(A) $\frac{a+b}{2}$ (B) $\frac{2}{a+b}$ (C) \sqrt{ab} (D) $\frac{2ab}{a+b}$
- (9) The formula for the sum of n terms of an A.P is
(A) $\frac{n}{2} \{2a+(n+1)d\}$ (B) $\frac{n}{2} \{a+(n-1)d\}$ (C) $\frac{n}{2} \{2a+(n-1)d\}$ (D) $\frac{n}{2} \{a-(n-1)d\}$
- (10) From a box containing 5 green and 3 red balls , one ball is taken out. The probability that the ball drawn is black is
(A) 1 (B) $\frac{1}{2}$ (C) $\frac{1}{8}$ (D) 0
- (11) Value of $\frac{9!}{6!3!}$ is
(A) 84 (B) 48 (C) 24 (D) 42
- (12) Expansion of $(1+2x)^{1/5}$ is valid if
(A) $|x|<1$ (B) $|x|<2$ (C) $|x|<\frac{1}{2}$ (D) $|x|\leq 1$
- (13) The expression n^2-n+41 represents a prime number for $n \in \mathbb{N}$ where
(A) $n \leq 10$ (B) $n \leq 20$ (C) $n \leq 40$ (D) $n \leq 5$
- (14) If $\sin \theta = \frac{1}{2}$ then θ is equal to
(A) 30° (B) 45° (C) 60° (D) 90°
- (15) $\cos 2\theta$ is equal to
(A) $\frac{2 \tan \theta}{1-\tan^2 \theta}$ (B) $\frac{2 \tan \theta}{1+\tan^2 \theta}$ (C) $\frac{1-\tan^2 \theta}{1+\tan^2 \theta}$ (D) $2 \cos^2 \theta + 1$
- (16) The smallest positive integer p for which $f(p+x) = f(x)$ is called
(A) Domain (B) Range (C) Co-Domain (D) Period
- (17) With usual notation in triangle ΔABC , If $a=7$, $b=3$, $c=5$ then value of 'S' is equal to
(A) 15 (B) $\frac{15}{2}$ (C) 55 (D) 105
- (18) If ΔABC is right angle triangle , the law of cosine reduces to the
(A) Law of Sine (B) Area of triangle (C) Law of tangent (D) Pythagoras theorem
- (19) The value of $\frac{\pi}{2} - \sin^{-1} x$ is equal to
(A) $\cos^{-1} x$ (B) $\sin^{-1} x$ (C) $\cos x$ (D) $\sin x$
- (20) An equation containing at least one trigonometric function is called
(A) algebraic equation (B) quadratic equation (C) linear equation (D) trigonometric equation

DGK-G-11-12

QUESTION NO. 2 Write short answers any Eight (8) questions of the following

16

1	Check the closure property of addition and multiplication for the set $\{0, -1\}$
2	If Z_1 and Z_2 are complex numbers then show that $\overline{Z_1 Z_2} = \overline{Z_1} \overline{Z_2}$
3	Express the complex number $(1+i\sqrt{3})$ in the polar form
4	If $A = \{1, 2, 3\}$ then find the power set of A
5	Define tautology and absurdity
6	Define Group
7	If $A = \begin{bmatrix} 2i & i \\ i & -i \end{bmatrix}$ then find A^{-1}
8	Define cofactor of an element of a matrix and give an example
9	Without expansion show that $\begin{vmatrix} \alpha & \beta + \gamma & 1 \\ \beta & \gamma + \alpha & 1 \\ \gamma & \alpha + \beta & 1 \end{vmatrix} = 0$
10	Find the condition when one root of $x^2 + px + q = 0$ is double the other
11	Show that the roots of $px^2 - (p-q)x - q = 0$ are rational
12	If w is the cube root of unity then show that $x^3 + y^3 = (x+y)(x+wy)(x+w^2y)$

QUESTION NO. 3 Write short answers any Eight (8) questions of the following

16

1	Define partial fraction ; Give example
2	If $\frac{1}{a}$, $\frac{1}{b}$ and $\frac{1}{c}$ are in A.P. Show that common difference is $\frac{a-c}{2ac}$
3	Insert two G.M's. between 1 and 8
4	If the numbers $\frac{1}{k}$, $\frac{1}{2k+1}$ and $\frac{1}{4k-1}$ are in H.P. find k
5	If H.M. and A.M. between two numbers are 4 and $\frac{9}{2}$ respectively, find the number
6	Find the sum of first 15 terms of the geometric sequence $1, \frac{1}{3}, \frac{1}{9}, \dots$
7	Find the value of n when ${}^{11}P_n = 11 \cdot 10 \cdot 9$ P is permutation
8	Find the number of diagonals of a 6-sided figure
9	In how many ways 4 keys can be arranged on a circular key ring?
10	Verify that : the inequality for 4, 5 : $n! > n^2$ for $n = 4, 5$
11	Expand $(3a - \frac{x}{3a})^4$ up to 2 terms by Binomial theorem
12	Find the value of $3\sqrt{65}$ to '2' places of decimal by using Binomial series

QUESTION NO. 4 Write short answers any Nine (9) questions of the following

18

1	Find value of r in a circle, when : $\ell = 56$ cm, $\theta = 45^\circ$
2	When $\theta = \frac{-9}{2} \pi$, with the help of general angle, find values of $\sin \theta$ and $\cos \theta$
3	Prove that : $\frac{2 \tan \theta}{1 + \tan^2 \theta} = 2 \sin \theta \cos \theta$
4	Prove that : $\cos(\alpha + 45^\circ) = \frac{1}{\sqrt{2}}(\cos \alpha - \sin \alpha)$
5	Express $\sin 5x + \sin 7x$ as a product
6	Prove that $\sqrt{\frac{1+\sin \alpha}{1-\sin \alpha}} = \frac{\sin \frac{\alpha}{2} + \cos \frac{\alpha}{2}}{\sin \frac{\alpha}{2} - \cos \frac{\alpha}{2}}$
7	Find the period of $\sin \frac{x}{3}$
8	When the angle between the ground and the sun is 30° , flag pole casts a shadow of 40m long. Find the height of the top of the flag
9	Find the smallest angle of the triangle ΔABC , when $a = 37.34$, $b = 3.24$, $c = 35.06$
10	Find the area of the triangle ΔABC having its two sides and the included angle as : $b = 37$, $c = 45$, $\alpha = 30^\circ 50'$
11	Show that $\sin(2 \cos^{-1} x) = 2x \sqrt{1-x^2}$
12	Define general trigonometric equation
13	Using reference angle find the solutions (roots) of $\sin x = \frac{-\sqrt{3}}{2}$, $x \in [0, 2\pi]$

DGK-41-11-18

SECTION-II

Note: Attempt any Three questions from this section

10 x 3 = 30

5-(A)	Give the logical proof of De, Morgan,s laws
(B)	Prove that $\begin{vmatrix} b+c & a & a^2 \\ c+a & b & b^2 \\ a+b & c & c^2 \end{vmatrix} = (a+b+c)(a-b)(b-c)(c-a)$
6-(A)	Solve $\frac{a}{ax-1} + \frac{b}{bx-1} = a+b$; $x \neq 1/a$ and $x \neq 1/b$
(B)	Split $\frac{7x+25}{(x+3)(x+4)}$ into partial fractions form
7-(A)	For what value of n , $\frac{a^n+b^n}{a^{n-1}+b^{n-1}}$ is the positive geometric mean between " a " and " b "
(B)	Identify the series as binomial expansion also find the sum of the series $1 + \frac{3}{4} + \frac{3.5}{4.8} + \frac{3.5.7}{4.8.12} + \dots$
8-(A)	Prove that : $\sin^6 \theta - \cos^6 \theta = (\sin^2 \theta - \cos^2 \theta)(1 - \sin^2 \theta \cos^2 \theta)$
(B)	Prove that : $\sin 10^\circ \sin 30^\circ \sin 50^\circ \sin 70^\circ = \frac{1}{16}$ (without using calculator)
9-(A)	Prove that $R = \frac{abc}{4\Delta}$ where a , b , c are the lengths of the sides of triangle and " Δ " denotes the area of triangle
(B)	Prove that (i) $\tan^{-1} \frac{120}{199} = 2 \cos^{-1} \frac{12}{13}$ (ii) $\sin^{-1} \frac{5}{13} + \sin^{-1} \frac{7}{25} = \cos^{-1} \frac{253}{325}$