## موج الإال

Roll No. of Candidate: Chemistry (New Scheme) Time: 20 Minutes			(INTERMEDIATE PART-I) 319-(IV) OBJECTIVE			Group: I	Paper: 1 Marks: 17
Time:	20 Mi	nutes					t. i- compat fill
Note:	that circles	will result in zero	mark in that q	we type question as A, mber. Use marker or uestion. Attempt as ma	s, C and D. The choice which you think is correct, fill the to fill the circles. Cutting or filling two or more may questions as given in objective type question paper		
	1.	In zero order re	Of reaction		of:	on of reactants	
1.		A) temperature     C) concentration			B) concentration of reactants D) none of these		
	2.	Calorie is equiv	valent to: B)	41.84 J	C) 4.184 J	D) 4	18.41
	3.	Stronger the ox		nt greater is the: reduction potential	C) redox poter		E.M.F of cell
	4.	Which of the h	alogen hali	des has the highest			
·	5.	A solution of g	В	0% w/v the volum ) 1.8 dm <sup>3</sup>	0,200	10000000	
	6.	In order to rais	60 torr and		D) any value	of pressure	re should be: 60 torr
	7.	Which of the		nolecules has zero			BF <sub>3</sub>
		A) inth	marature O	f a gas is doubled a	nd pressure is r	educed to one	half, the volume
	8.	of a gas will:  A) remain un	1000	3) increase four time			be doubled
	9.	The pH of 10 A) 3.0	mol.dm	of aqueous soluti	C) 2.0		1.5
	10.	A) 546 °C		become twice of v B) 200 °C	vhat it is at 0°C C) 546 K	D)	273 K
	11.	Bohr's mode A) Plancks q	uantum theo	nty principle	D) all of the		
	12.	Solvent extra	action is an	equilibrium proces	s and it is contr	olled by:	
	12.	A) law of ma     C) distribution	ass action on law		D) the amou	int of solvent us ant of solute	sed
	13	A) nature of	electrode	ys depend on:	D) all of the	f residual gas above	
	14	. 27 gms of A) 8.0 g of	Al will read	et completely with B) 16.0 g of oxyger	how much mass C) 32.0 g o	s of O <sub>2</sub> to pro foxygen D	oduce Ak <sub>2</sub> O <sub>3</sub> b) 24.0 g of oxygen
	15	. The molarity			C) 55.5	Ľ	0) 6
	16			f electrons is: B) 0.55 mg	C) 0.184 m	g D	) 1.673 mg
	17	A) cubic str	ucture of ice	0°C its density de	B) change	of bond length of bond angles	
		c, outpij of	Pro-			21	9-(IV)-319-3300
			C	14-P-1.	11-19		

(INTERMEDIATE PART-I) 319 Group: I Paper: I Chemistry (New Scheme) Marks: 68 SUBJECTIVE Time: 2:40 Hours Note: Section I is compulsory. Attempt any THREE (3) questions from Section II. (SECTION - I)  $(2 \times 8 = 16)$ 2. Write short answers to any EIGHT questions. Why most of the elements have fractional atomic mass? Differentiate between "Molecular Formula" and "Empirical Formula". ii. Why 80 g of glucose and 342 g of suscrose have same number of molecules but different iii. number of atoms? Write down four properties of best solvent choosen for crystallization. iv. Differentiate between adsorption and partition chromatography. Define critical temperature and critical pressure. vi. Calculate the S.I units of 'R'. VII. viii. Define plasma. How it is formed? Why gases show Non-Ideal behavior at low temperature and high pressure? ix. Write two differences between Ideal and Non-Ideal solutions. X. Define Heat of solution. Give example. xi. Why aqueous solution of CH3COONa is basic?  $(2 \times 8 = 16)$ 3. Write short answers to any EIGHT questions. Define vapour pressure. Name the factors which affect vapour pressure. What are dipole-dipole forces. Name the properties which are affected by these forces. ii. iii. Define Anisotropy and Allotropy, Boiling point of water is high as compared to boiling point of ether. Why? iv. State Moseley's Law. Give its two importances. V. Justify that the distance gaps between different orbits go on increasing from the lower to the higher orbits. Why are positive rays called canal rays? vii. viii. Draw shapes of 'S' and 'P' orbitals. Define common ion effect giving an example. State law of Mass Action. X. Define order of reaction. Give an example of pseudo first order reaction. xii. Write two properties of enzyme catalysis.  $(2 \times 6 = 12)$ 4. Write short answers to any SIX questions. Define octet rule. Give two examples. i. Atomic Radii increase in group and decrease in period, explain it. ii. Cationic radius is smaller than parent atom, give reason. How electronegativity is used to find nature of chemical bond. iv. Define exothermic reaction. Give two examples. V. Define Spontaneous process. Give two examples. Find oxidation number of "Mn in KMnO4" Explain electrolysis of fused PbCl<sub>2</sub>. Write the function of salt bridge in Galvanic cell. (Turn Over) GUJ- 11- GI

الو 1161م

1

			, ,			
hem	o. of Can istry (Ne	w Scheme)	(INTERMEDIATE P	PART-I) 319 – (IV)	Group: II	Paper: I Marks: 17
'ime:	B #1	400				an a
lote:			each objective type question	as A, B, C and D. The c	hoice which you t cles. Cutting or fi	lling two or more
10101	that circle	e in tront of that	nark in that question. Attemp	ot as many questions as g	iven in objective c	ype question pur
	and leave	calution of glu	icose is 10% w/v. Th	e volume in which	ginore	1000
l.	it	is dissolved w	B) 1.8 dm <sup>3</sup>	C) 200 cm <sup>3</sup>	D) 90	
	2 T	he molar volu	me of CO <sub>2</sub> is maximum  B) 127 °C and 10  ctral lines when the atom	n at: 1 atm C) 0 °C and 2	2 atm D) 27	73 °C and 2 atm eld is called:
	18	A) zee-man effe	ct b) stark criest	C) photo elect		
		Molarity of pur A) 1.0	B) 18.0	C) 55.5	D) 6	
		extended arbit	same energy are called als B) valence orbit	tals		-orbitals
		A) 2.24 dm3	cupied by 1.4 g of N <sub>2</sub> B) 22.4 dm <sup>3</sup>	C) 1.12 dm		12 cm <sup>3</sup>
		Calorie is equi A) 0.418 J	valent to:  B) 41.84 J  tion is an equilibrium p	C) 4.184 J		418.4 J
	8.	Solvent extrac	tion is an equilibrium pr	B) distributi	on law	
		A) law of mas     C) amount of:	s action solvent used	D) the amou	nt of solute	
		4 \ 1 008 mg	ne mole of electrons is:  B) 0.55 mg	C) 0.101 mg	, D)	1.673 mg
	10.	In zero order	reaction, the rate is inde	P) concentr	ation of reactant	S
		A) temperatur     C) concentrat	on of products	D) none of	these	
	11.	A) CaF <sub>2</sub>	following is a pseudo so B) glass	C) Hack	D)	all of these
	12.		oxidizing agent, greater potential B) reduction			E.M.F of cell
	13.	Which of the	following species has t	inpaired electrons in	Circ distr contain	0
		molecular or	nitals:			) F <sub>2</sub>
		A) O <sup>2+</sup>	B) $N_2^{2-}$	C) B <sub>2</sub>		
		, -2	whice	ch temperature, the v	olume of gas w	ill
	14.	Pressure rem become twic A) 546 °C	aining constant, at whice of what it is at 0 °C:  B) 200 °C	C) 546 K	Γ	o) 273 K
	15.	A) low melt	ductivity in solid state	D) solubi	apour pressures lity in polar solv	ents
	16.	Which of th	e following molecules b B) CHCl3	0,1120		D) BF <sub>3</sub>
	17.	The pH of A) 3.0	10 <sup>-3</sup> mole.dm <sup>-3</sup> of an ac B) 2.7	queous solution of H C) 2.0	<sub>2</sub> SO <sub>4</sub> is:	D) 1.5
		•	*		2	20-(TV)-319-310

Cry-P11-11-19

		(SECTION - II)	
5.	(a) (b)	Write a note on Limiting reactant. Explain it giving at least two examples.  Write four important properties of Metallic solids.	4
6.	(a)	250 cm <sup>3</sup> of hydrogen is cooled from 127 °C to -27 °C by maintaining the pressure constant. Calculate the new volume of gas at low temperature.	4
	(b)	Write down any four properties of positive rays.	4
7.	(a)	Explain postulates of molecular orbital theory.	4
	(b)	Derive the relationship between $\Delta H$ and $\Delta E$ , where $H$ stands for enthalpy and $E$ stands for internal energy. Which are two conditions when $\Delta H$ and $\Delta E$ becomes equal.	4
8.	(a)	Ca (OH) <sub>2</sub> is a sparingly soluble compound. Its solubility product is 6.5 × 10 <sup>6</sup> . Calculate the solubility of Ca(OH) <sub>2</sub> .	4
	(b)	Describe any four physical methods for the determination of the rate of a chemical reaction.	4
9.	(a)	Give graphical explanation for Elevation of boiling point of a solution.	4
	(b)	Explain four Industrial applications of Electrolysis.	4
		219-319-33000	