Roll N	o. of Candidate :								
CHEM	ISTRY	Intermediate Part-I, Cl	ass 11 <sup>th</sup> (1 <sup>st</sup> A 323- IV	) Paper: I Group - I					
Time: 20 Minutes		<b>OBJECTIVE</b>	Code: 6487 (Ju)	-11-1-23 Marks: 17					
Note: You have four choices for each objective type question as A, B, C and D. The choice which you think is correfill that circle in front of that question number. Use marker or pen to fill the circles. Cutting or filling two or me circles will result in zero mark in that question.									
1. 1-	The molar volume of CO <sub>2</sub> is maximum at								
	(A) STP	(B) 127°C and 1 atr	m/(C) 0° C' and 2 atm	(D) 273°C and 2 atm					
2 -	Molarity of pure	water is	1 2 2						
	(A) 1	(B) 18	(C) 55.5	(D) 6					
3 -	The rate of reacti	on							
	(A) increases as	the reaction proceeds	(B) decreases as the	reaction proceeds					
	(C) remains san	ne as the reaction proceeds	(D) may increase or decrease as reaction proceeds						
4 -	Water boils at 98	°C at external pressure of							
	(A) 700 torr	(B) 765 torr	(C) 800 torr	(D) 900 torr					
5 -	Stronger is the ox	ridizing agent, greater is the							
	(A) oxidation po	tential	(B) reduction potent	ial					
	(C) redox potent	ial /	(D) emf of the cell						
6 -	Catalyst used in o	conversion of SO2/into SO3 in	n contact process is						
	(A) MgO	(B) $Al_2 Ø_3$	(C) SiO <sub>2</sub>	(D) V <sub>2</sub> O <sub>5</sub>					
7 -	Quantum number	values for 2P orbital are		The second					
	(A) $n=2$ , $\ell=1$	(B) $n \not= 1$ , $\ell = 2$	(C) $n=1, \ell=0$	(D) $n=2, \ell=0$					
8 -	The change in he	at energy of a chemical react	ion at constant temperatu	re and pressure is called					
	(A) enthalpy cha	,	(B) heat of sublimat	•					
	(C) bond energy		(D) internal energy change						
9 -		r of Fluorine in OF <sub>2</sub> is							
	(A) -1	(B) -2	(C) +2	(D) $+1$					
10 -	Gooch crucible is	made up of							
	(A) porcelain	(B) silver	(C) iron	(D) glass					
11 -	Mass of one mole	e of electrons is							
	(A) 1.008 mg	(B) 0.55 mg	(C) 0.184 mg	(D) 1.673 mg					
12 -	The partial pressu	re of Oxygen in air is							
	(A) 116 torr	(B) 159 torr	(C) 180 torr	(D) 190 torr					
13 -	Calorie is equival	ent to							
	(A) 0.4184J	(B) 41.84J	(C) 4.184 J	(D) 418.4J					
14 -	The pH of $10^{-3}$ m	oles/dm3 of an aquous soluti	on of H <sub>2</sub> SO <sub>4</sub> is						
	(A) 3.0	(B) 2.7	(C) 2.0	(D) 1.5					
15 -	The number of bo	onds in Nitrogen molecule is							
	(A) one Sigma and One Pi (B) One Sigma and Two Pi								
	(C) Three Sigma	only	(D) Two Sigma one Pi						
16 -	Ionic solids are ch	naracterized by							
	(A) low melting	ty in solid state							
	(C) high vapour pressure (D) solubility in polar solvents								
17 -	Nickel has isotop		•						
	(A) 2	(B) 3	(C) 4	(D) 5					
			All in the second	217-(IV)-1stA 323-36000					
			G	217-(XT)-1 /X 323-30000					

Intermediate Part-I, Class 11th (1stA 323) Paper: I Group - I CHEMISTRY Marks: 68 SUBJECTIVE Time: 2:40 Hours 101-11-1-23 Note: Section-I is compulsory. Attempt any THREE (3) questions from Section-II. SECTION-I  $(2 \times 8 = 16)$ 2. Write short answers to any EIGHT questions. i - Calculate the moles of Cl atoms in 0.822 g of C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>. ii - What is the difference between gram atom and gram ion? iii - No individual neon atom has a mass of 20.18 amu. Why? iv - How does the respiration process involve Dalton's law of partial pressures? v - Give the quantitative definition of Charles's law. vi - Where is plasma found? vii - What is Moseley's law? Give its significance. viii - Write down the electronic configuration of 29Cu and 19K. ix - The velocities of electrons in higher orbits are less than those in lower orbits of hydrogen atom. Give the reason. x - Define standard enthalpy of combustion. Give an example. xi - What is meant by state function? Give two examples. xii - Define exothermic reaction. Give an example.  $(2 \times 8 = 16)$ 3. Write short answers to any EIGHT questions. i - Define water of crystallization. Give example. ii - How do you justify that the boiling point of one molal urea solution is 100.52°C but the boiling point of two molal urea solution is less than 101.04°C? iii - Give two statements of Raoults law. iv - Differentiate between fast step and the rate determining step. v - What are enzymes? Give an example. vi - The reaction happens due to collisions among the molecules but all the collisions are not fruitful. Justify it. vii - How does a Gooch crucible increases the rate of filtration? viii - Give the main characteristics of the solvent used for crystallization. ix - What is ether extraction? x - Define polymorphism. Give example. xi - Hydrogen bonding is present in chloroform and agetone. Justify it. xii - How liquid crystals can act as temperature sensors?  $(2 \times 6 = 12)$ 4. Write short answers to any SIX questions. i - Atomic radius decreases from left to right in a period, justify. ii - Define electron affinity, give one example. iii - How the criteria of electronegativity helps us to understand the nature of bond? iv - What is buffer capacity? v - Value of pKa and pKb are related to strength of acid and bases. Justify it. vi - Define solubility product with an example. vii - Differentiate between electrolytic and galvanic cell.

(Turn Over)

viii - What is electrolysis? Give an example.

ix - How anodized aluminium is prepared in an electrolytic cell?

111	No. o	f Candidate: _											
HE	<b>VIIS</b>	TRY	Interme	ediate	Part-I, C	lass 11 <sup>t</sup>	h (1°	st A 323	- III )	Paper	:: I	Group - II	
Time:	20	Minutes		O	BJECTIVE	Code	: 648	6	j-11-	2-2	-2	Marks: 17	
Note:	fill th	have four choice at circle in front es will result in	of that que	estion	number. Use	tion as A	B, C	and D. 7	The choice	e which	h you t	hink is correct, ng two or more	
	(A	In zero order reaction, the rate is independent (A) temperature of reaction (C) concentration of products					<ul><li>(B) concentration of reactants</li><li>(D) none of these</li></ul>						
2		he pH of 10 <sup>-3</sup> n A) 3.0	mol dm <sup>-3</sup> of an aqueous soluti (B) 2.7				(C) 2.0			(D) 1.5			
3	(1	a strip of Cu m  Cu will be d  C) Cu and Fe b		FeSO <sub>4</sub> (B) Fe is precipitated out (D) no reaction takes place									
4		calori is equal to A) 0.4184 J		(B) 4	1.84 J		(C) 4	4.184 J		(	D) 41	8.4 J	
5		The oxidation No. (A) +3		(C) -	-5	(D) +5							
6	(4	The change in heat energy of a chemical reaction at constant temperature and pressure is called (A) enthalpy change (B) heat of sublimation (C) bond energy (D) internal energy change									is called		
	(4	An aqueous solution of ethanol in water may (A) equal to that of water (C) more than that of water					(B) equal to that of ethanol (D) less than that of water						
8	- F	Feeling uncomfortable breathing in unpressure (A) high pressure of CO <sub>2</sub> (C) low pressure of O <sub>2</sub>					zed cabin is due to  (B) low pressure of CO <sub>2</sub> (D) high pressure of O <sub>2</sub>						
9	- T	The value of pH of pure water at 25° C is (A) 14 (B) 7					(C) $1\times10^{-14}$ (D) $1\times10^{14}$						
10	- P	Pressure remaining constant, at which temperature the volume of a gas will become twice is at 0°C.											
	(.	A) 546° C		(B) 2	00°C	d alaatra	(C)	546 K	honding		(D) 27		
11		Which of the fol	llowing s	pecies	nas unpaire	d electro	(C)	R	oonamb	(	(D) F <sub>2</sub>	)	
	(	A) O <sub>2</sub> <sup>2+</sup>		(B) 1		t antimate				•	(2) -2	•	
	(	During the process of crystallization the hot saturated solution  (A) is cooled very slowly to get large size crystals  (B) is cooled at a moderate rate to get medium size crystals  (C) is evaporated to get the crystals of the product  (D) is mixed with immisible to get the pure crystals of the product											
	(	When 6 d orbital is complete, the entering election (A) 7 f (B) 7 p 27 g of Al will react how much mass of O <sub>2</sub> to p					$(C) 7s \qquad (D) 7d$						
	(	(A) 8 g of Oxyg	gen	(B)	16 g of Oxyg	gen	(C)	32 g of	Oxygen		(D) 2	4 g of Oxygen	
15	(	<ul> <li>(A) it has a tight structure</li> <li>(B) there are no free electrons present in the crystal of diamond to conduct electricity</li> <li>(C) it has a heigh density</li> <li>(D) is transparent to light</li> </ul>											
	(	The mass of one (A) 1.008 mg			on is 0.55 mg		(C)	0.184 n	ng		(D) 1	.673 mg	
1		Liquid Hydroca (A) Methane	rbon is	(B)	Pentane		(C)	Hexane				ropane	
						C			2	18-(III	)-1stA	323-35000	