

Total Control

Physics	(C)	L.K.No. 1108	Paper Code No. 6476
Paper 1	(Objective Type)	Inter - A - 2022	(Group 2nd)
Time :	20 Minutes	inter (Part I)	2000
Marks :	17	Session (2020 -	- 22) to (2021 – 23)

Note: Four possible choices A, B, C,D to each question are given. Which choice is correct fill that circle in front of that Question No. Use Marker or Pen to fill the circles. Cutting or filling two or more circles will result in Zero Mark in that Question.

	はいピーロンーンと
Q.No.1	The magnitude of the vector product of two non-zero vectors \overrightarrow{A} and \overrightarrow{B} making an Angle θ
(1)	with each other is : (A) AB $\sin\theta$. \hat{n} (B) AB $\cos\theta$ (C) AB $\sin\theta$ (D) AB
(2)	Error in the measurement of Sphere is 1%. The error in the calculated value of volume is :
	(A) 1 % (B) 3 % (C) 5 % (D) 7 %
(3)	The dimensions of the relation $\sqrt{\frac{F \times l}{m}}$ are equal to the dimensions of : (A) Force (B) Momentum (C) Acceleration (D) Velocity
(4)	If Cross Product of $\overrightarrow{A} \times \overrightarrow{B}$ is along y-axis, then \overrightarrow{A} and \overrightarrow{B} must lie in :
	(A) xy - Plane (B) yz - Plane (C) Space (D) xz - Plane
(5)	Tidal Energy is due to Gravitational Pull of : (A) Sun (B) Moon (C) Earth (D) Mars
(6)	In Projectile Motion, the Vertical Component of the Velocity
	(A) Remains Constant (B) Becomes Zero (C) Varies Point to Point (D) Increases with time
(7)	For a typical rocket, how much mass of rocket is in the form of fuel :
	(A) 50 % (B) 60 % (C) 80 % (D) 100 %
(8)	If Linear Velocity and Radius are both made half of a body moving in a circle , the Centripetal
,-,	
	Force becomes : (A) Fc (B) $\frac{Fc}{2}$ (C) $\frac{Fc}{4}$ (D) 2 Fc
(9)	In Mass Spring System, $\frac{1}{2}Kx_0^2$ represents:
(9)	
	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity
(9)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is:
(10)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant
	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is:
(10)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant
(10)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$
(10)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are:
(10) (11) (12)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called:
(10) (11) (12) (13)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called:
(10) (11) (12)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called: (A) Motor (B) Generator (C) Repeater (D) Laser
(10) (11) (12) (13) (14)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called: (A) Motor (B) Generator (C) Repeater (D) Laser What remains constant in an Adiabatic Process: (A) Volume (B) Pressure (C) Temperature (D) Heat
(10) (11) (12) (13)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called: (A) Motor (B) Generator (C) Repeater (D) Laser What remains constant in an Adiabatic Process: (A) Volume (B) Pressure (C) Temperature (D) Heat If a Stretched String is 4 m and has 4 loops of Stationary Wave, then Wavelength is:
(10) (11) (12) (13) (14)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called: (A) Motor (B) Generator (C) Repeater (D) Laser What remains constant in an Adiabatic Process: (A) Volume (B) Pressure (C) Temperature (D) Heat If a Stretched String is 4 m and has 4 loops of Stationary Wave, then Wavelength is: (A) 1 m (B) 2 m (C) 3 m (D) 4 m
(10) (11) (12) (13) (14)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called: (A) Motor (B) Generator (C) Repeater (D) Laser What remains constant in an Adiabatic Process: (A) Volume (B) Pressure (C) Temperature (D) Heat If a Stretched String is 4 m and has 4 loops of Stationary Wave, then Wavelength is:
(10) (11) (12) (13) (14)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called: (A) Motor (B) Generator (C) Repeater (D) Laser What remains constant in an Adiabatic Process: (A) Volume (B) Pressure (C) Temperature (D) Heat If a Stretched String is 4 m and has 4 loops of Stationary Wave, then Wavelength is: (A) 1 m (B) 2 m (C) 3 m (D) 4 m
(10) (11) (12) (13) (14)	(A) Total Energy (B) Kinetic Energy (C) Potential Energy (D) Velocity The fluid is said to be incompressible if its density is: (A) Zero (B) Very High (C) Very Small (D) Constant The ratio of Moment of Inertia of Disc and hoop is: (A) $\frac{1}{2}$ (B) $\frac{1}{4}$ (C) $\frac{3}{4}$ (D) $\frac{3}{2}$ Types of Waves used in Sonar are: (A) Light Waves (B) Heat Waves (C) Sound Waves (D) Water Waves The light signal in Optical Fibre must by regenerated by a device called: (A) Motor (B) Generator (C) Repeater (D) Laser What remains constant in an Adiabatic Process: (A) Volume (B) Pressure (C) Temperature (D) Heat If a Stretched String is 4 m and has 4 loops of Stationary Wave, then Wavelength is: (A) 1 m (B) 2 m (C) 3 m (D) 4 m If P = Pressure, V = Volume of a Gas, then PAV represents:

P



Physics (Subjective) Inter - A - 2022 Time 2:40 Hours Marks: 68 Group 2nd

Note: It is compulsory to attempt any (8 – 8) Parts each from Q.No. 2, Q.No.3 and attempt any (6) Parts from Q.No.4. Attempt any (3) Questions from Part – II. Write the Same Question Number and its Part Number as given in the Question Paper

Make Diagram where necessary.

Part - I





2 1/2 2	***	2008-07-2-11
Q.No.2	(i) Time for 40 vibrations of Simple Pendulum recorded by a stop watch with least of	
		one tenth of a second is 80 . 6 s . Find Time Period.
	(ii)	The length and width of a rectangular plate are measured to be 15.3 cm and 12.80 cm
		respectively. Find area of plate.
	(iii)	The Wavelength λ of a Wave depends on the speed ${f v}$ of the wave and its frequency ${f f}$,
		knowing that $[\lambda] = [L]$, $[V] = [LT^{-1}]$ and $[f] = [T^{-1}]$. Decide which of the
		given is correct $f = v\lambda$ or $f = \frac{v}{\lambda}$
	(iv)	Give the drawbacks to use the period of Pendulum as Time Standard.
	(v)	Water is projected from two rubber pipes at the same speed from one at an angle of 30
		and from the other at 60°. Why are the ranges equal?
	(vi)	Define Projectile. Give examples and discuss its Horizontal and Vertical Accelerations.
	(vii)	Explain the difference between Elastic and Inelastic Collisions. Explain how would a bouncing ball behave in each case. Give Plausible reasons for fact that K.E. is not conserved in most cases?
	(viii)	Can the velocity of an object reverses the direction when acceleration is constant? If so give example.
	(ix)	A thermos flask containing milk as a system is shaken rapidly. Does the temperature of the milk rise?
	(x)	Is it possible to a heat engine that will not expel heat into the atmosphere?
	(xi)	Give an example of a natural process that involves an increase in entropy.
	(xii)	Write the Postulates of Kinetic Molecular Theory of Gases.
.No.3	(i)	A vector can not have a component greater than the Vector's Magnitude why?
	(ii)	What is the magnitude of a vector $\vec{A} = -4\hat{i} + 5\hat{j}$? In which quadrant does the vector lie?
	(iii)	If all the components of the vectors , $\overrightarrow{A_1}$ and $\overrightarrow{A_2}$ were reversed, how would this alter $\overrightarrow{A_1}$ x $\overrightarrow{A_2}$?
	(iv)	A girl drops a cup from a certain height which breaks into pieces. What energy changes are involved?
	(v)	Calculate the work done in kilo Joules in lifting a mass of 10 Kg through a vertical height of 10 m at steady velocity.
	(vi)	Define Kilowatt Hour. Show that 1 kWh = 3 . 6 MJ.
	(vii)	Obtain a relation for Orbital Velocity of a Satellite orbiting around the earth at a distance "r" from centre of the earth.
	(viii)	What is meant by Moment of Inertia? Explain its role in angular motion.
	(ix)	Explain the difference between Tangential and Angular Velocity. How can these Velocities be related to each other?
	(x)	Define Grating Element. A diffraction grating has 5000 lines / cm , calculate Grating Element.
	(xi)	An oil film spreading over a wet footpath shows colours. Explain how does it happen?
	(xii)	Write down the two postulates of Huygen's Principle.
.No.4	(i)	What is Drag Force? What will be the effect of Drag Force acting upon a small sphere of
		Radius " r ", moving down through a liquid, depend?
	(ii)	What is meant by Phase Angle? Does it define angle between maximum displacement and
	(****	the driving force?
	(111)	If a Mass Spring System is hung vertically and set into oscillations, why does the motion eventually stop?

L.K.No.1108

(iv)	What is the frequency of Simple Pendulum if its length is 100 cm?
(v)	What are the conditions of Constructive and Destructive Interference of Sound?
(vi)	What features do Longitudinal Waves have in common with Transverse Waves?
(vii)	Explain why sound travel faster in Warm Air than in Cold Air?
(viii)	What do you mean by Linear Magnification and Angular Magnification ? Explain how a Convex Lens is used as Magnifier?
(ix)	What is function of Repeaters in Transmission of Signals through Optical Fibres?

Part - II

Q.No.5	(a)	How would you prove that work done is independent of the path followed by a body? Also define conservative field.	
	(b)	A Spherical Ball of weight 50 N is to be lifted over the step as shown in the figure. Calculate the minimum force needed just to lift it above the floor.	(3)
Q.No.6	(a)	Define Projectile. Also derive the relation for : (i) Height of Projectile (ii) Time of Flight	(5)
į	(b)	What is the Least Speed at which an Aeroplane can execute a vertical loop of 1.0 Km Radius? So that there will be no tendency for the pilot to fall down at the highest point.	(3)
Q.N.b.7	(a)	What is Doppler's Effect? Discuss its two cases for source and observer relative to each other.	(5)
	(b)	What Gauge Pressure is required in the city mains for a stream from a fire hose connected to the mains to reach a vertical height of 15.0 m?	(3)
Q.No.8	(a)	Define Simple Harmonic Motion. Prove that the motion of Simple Pendulum is Simple Harmonic Motion. Also derive the expression for its time period.	(5)
	(b)	Yellow Sodium light of Wavelength 589 nm, emitted by a single source passes through two narrow slits 1 . 00 mm apart. The Interference pattern is observed on a screen 225 cm away. How far apart are two adjacent bright fringes?	(3)
Q.No.9	(a)	What is meant by Molar Specific Heat of a Gas? Show that $C_p - C_v = R$	(5)
	(b)	An Astronomical Telescope having magnifying power of 5 consist of two thin lenses 24 cm apart. Find the focal lengths of the lenses.	(3